

SIGNAGE MEDIAPLAYER - ANDROID 5.1

ArtNr: Android 4k Player JP

**MAIN FEATURES:**

- Operating System Android 4.4 and 5.1 (Rooted)
- RockChip RK3288
- 1080P and 4K output resolution by HDMI output
- Supports Micro SD up to 32GB
- 1x HDMI Out, HDMI2.0
- 4x USB Host
- 1x 3.5 mm HEADPHONE JACK
- 1x RJ45 LAN Port
- Antenna for WIFI
- 1x SPDIF (Digital audio output)
- 1x DC Jack (2.1mm)
- 16GB Nand Flash (optional: 8/32/64GB)

**MAIN PURPOSE:**

- **Digital signage: Connect to Monitors and Large Format Displays to play content (on- or offline)**
- **Interactive Display: Connect to Touchscreen Monitors / TouchScreen Kiosk Totems**

**USAGE:**

Internal Android system can play digital signage apps or touchscreen applications. The Android Operating System is 4.4 or 5.1 (Rooted). These players are installed with a clean system. On this models, install any kind of software (Android based) for online or offline content playing. We can also install your own apps or image on the player, so it will be ready to plug and play your content.

The model has HDMI out to connect to a display. For internet connection, you can use WIFI and LAN cable, optional it can have a SIM Card for 3G/4G.

**Optional:**

We can supply all kind of Software systems for Digital Signage and Touchscreen applications. Please let us know your needs, so we can offer you the correct software!



Next pages: specs and close up

SIGNAGE MEDIAPLAYER - ANDROID 5.1

ArtNr: Android 4K Player JP

New 1.8GHz 2G+16G Android 4.4.2/5.1.1 Quad Core RK3288 Smart TV Box with High Quality Firmware, Dual band 2.4/5Ghz WIFI, Bluetooth 4.0. H.265 Hardware Playback and 4K Output Support.

**Hardware Specs:**

Operation System	Android 4.4/5.1.1 (Linux Ubuntu or Dualboot is optional)
Language	Chinese,English...Multi-Language support
Chipset	RK3288 28nm Cortex-A17 Quad core 1.8ghz
GPU	Quad-Core Mali-T764 3D GPU Support OpenGL ES1.1/2.0/3.0, OpenVG1.1, OpenCL1.1 and Renderscript , Directx11, 2D GPU support 4Kx4K output
SDRAM	DDR3 2GB (optional:1GB/2GB)
Nand Flash	16GB Nand Flash(optional:8/32/64GB)
Storage Extension	Support Micro SD(TF) , Up to 32GB
Network	2.4GHz/5GHz WiFi 802.11 b/g/n and 802.11 a/c. Support LAN 100M/1000M Base-T
Bluetooth	4.0
Power Supply	DC 5V/3A

**Interface:**

HDMI	1 x HDMI Out (A type Female), HDMI2.0, Support 4Kx2K decode output
USB Port	4 x USB Host
Data Output	1 x SPDIF
Card Reader	1 x Micro SD card (MMC card) reader
AV Out	1 x 3.5mm Headphone Jack
Network	1 x RJ45 LAN Port
Power Supply	1 x DC Jack(2.1mm)
Antenna	External DualBand WiFi Antenna

**Media Parameter:**

Audio Container	Support MP1,MP2,MP3,WMA,WAV,OGG,OGA,APE,FLAC,AAC,M4A, 3GPP...etc Audio formats.Muliti -EQ mode,Support Synchronized lyrics and full-page lyric display.
Audio Out	HDMI Data Output
Video Decoder	MPEG-1, MPEG-2, MPEG-4,H.263, H.264, AVS, VC-1, Full video format decoding support. Support H.265 hardware decoding. Support format MPEG-1, MPEG-2, MPEG-4,H.263, H.264, AVS, VC-1,RV, VP6/VP8, Sorenson Spark, MVC
Video Encoder	H.264, H.265, VP8, MVC(1080P)
Resolution	HDMI output: Support 4Kx2K ( 3840*2160)
H.264, H265 Data Rate:	Up to 60Mbps
Image Browser	Support JPG,JPEG,BMP,GIF,PNG,JFIF...etc photo format. Maximum resolution up to 8192x8192.
Text-Reading	Support TXT,LRC,PDF,Html,Htm,EPUB...etc formats(Depends on APK install).
Software Extension	Support Google Play APK install
DLNA,Wimo Protocol	Support DLNA,Wimo Protocol
Remote Control	Support Smart phone remote control,2.4GHZ wireless air mouse/Remote controller.

# PRODUCT SHEET

# ON&OFFLINE MEDIAPLAYER

## SIGNAGE MEDIAPLAYER - ANDROID 5.1

ArtNr: Android 4K Player JP

IM Software	Support Skype/QQ/MSN/GTALK (Depends on APK install)
Office Software	WORD/EXCEL/PDF(Depends on APK install)
Certificate	CE

### Other Parameters:

Operation Temperature:	-10°~40°C
Storage Temperature:	-20°~50°C
Humidity Environment	5%-90%(No condensation)

### Package:

Dimension	116*115*22mm
Net Weight	285gm
Carton Box Size	
Gift Box Size	155*145*85mm
Gross weight	815gm

### Accessory List:

Standard Package: 1xMediaplayer, 1xManual,1xAdapter(DC 5V/3A), 1xHDMI Cable,1xIR Remote Controller, 1xDual-Band Antenna, 1xUSB OTG Cable.

